



# EX3 CLASSIFICATION

## 3-WAY TIE

### PROCEDURE

- The total points scored (*only for and not against*) against all teams in the pool will be calculated.
- The average of the total scores is calculated.
- The teams are ranked in the descending order of their averages. (i.e, team with highest average is given highest rank)





# EX3 CLASSIFICATION

## 3-WAY TIE

*Example:* 4 teams A,B,C,D are in a pool. The teams have been given the following seeding

**A - 4**

**B - 3**

**C - 2**

**D - 1**

After all the 6 games in the league phase, teams A,B,D have won 2 games each resulting in a 3-WAY TIE.





# CLASSIFICATION

## 3-WAY TIE

Case 1: 3 Teams have different total scores

Pool 1 A					Games					
Rank		D (1)	A (4)	B (3)	C (2)	P	W	W%	Pts Avg	Pts
1	D (1)		12 : 15	15 : 9	16 : 10	3	2	67	14.3	43
2	A (4)	15 : 12		12 : 14	13 : 7	3	2	67	13.3	40
3	B (3)	9 : 15	14 : 12		16 : 10	3	2	67	13.0	39
4	C (2)	10 : 16	7 : 13	10 : 16		3	0	0	9.0	27

**RESULT:** Team with the highest **AVERAGE** is given highest rank



# EX3 CLASSIFICATION

## 3-WAY TIE

Case 2: 3 Teams have same total scores

Pool 1 A					Games					
Rank		D (1)	B (3)	A (4)	C (2)	P	W	W%	Pts Avg	Pts
1	D (1)		13 : 9	12 : 14	14 : 10	3	2	67	13.0	39
2	B (3)	9 : 13		14 : 12	16 : 10	3	2	67	13.0	39
3	A (4)	14 : 12	12 : 14		13 : 7	3	2	67	13.0	39
4	C (2)	10 : 14	10 : 16	7 : 13		3	0	0	9.0	27

**RESULT:** Team with the highest **SEEDING** is given highest rank





# EX3 CLASSIFICATION

## 3-WAY TIE

Case 3: 2 Teams have same total scores

Pool 1 A					Games				
Rank	A (4)	D (1)	B (3)	C (2)	P	W	W%	Pts Avg	Pts
1	A (4)	15:12	12:14	13:7	3	2	67	13.3	40
2	D (1)	12:15	13:9	14:10	3	2	67	13.0	39
3	B (3)	14:12	9:13	16:10	3	2	67	13.0	39
4	C (2)	7:13	10:14	10:16	3	0	0	9.0	27

**RESULT:** Winner in **HEAD-TO-HEAD** match is given highest rank